



10/682050

Cofc

Docket No.: 03014/1086

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Letters Patent of:
Sidney E. Clark et al.

Patent No.: 7,172,698

Issued: February 6, 2007

For: ANAEROBIC SLUDGE DIGESTER

**REQUEST FOR CERTIFICATE OF CORRECTION
PURSUANT TO 37 CFR 1.323**

Attention: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Upon reviewing the above-identified patent, typographical errors have been noted.

In the Claims:

At col. 9, line 12, "liquidly" should be -- liquid --.

At col. 9, line 16, "liquidly" should be -- liquid --.

At col. 9, line 27, "has upper" should be -- has an upper --.

At col. 10, line 29, "drafts" should be -- draft --.

The last error stems from the examiner's September 21, 2006 amendment. The others are errors attributable to the applicant. Our check in the amount of \$100.00 covering the fee set forth in 37 CFR 1.20(a) is enclosed.

**Certificate
JUL 26 2007
of Correction**

JUL 30 2007

Patent No.: 7,172,698

Docket No.: 03014/1086


The errors are inadvertent typographical errors. The correction of these errors does not involve new matter or require reexamination.

Attached is a proposed certificate of correction that corrects these errors. Please issue it.

The director is hereby authorized to charge any fee deficiency, asserted to be filed or to our deposit account no. 13-2855, under order no. 03014/1086.

Dated: 07/20/2007

Respectfully submitted,


Richard M. LaBarge
Registration No.: 32,254

MARSHALL, GERSTEIN & BORUN LLP
233 S. Wacker Drive
Suite 6300 Sears Tower
Chicago, Illinois 60606-6357
(312) 474-6300
Attorney for Applicants

JUL 30 2007

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

Page 1 of 1

PATENT NO. : 7,172,698
APPLICATION NO. : 10/682,050
ISSUE DATE : February 6, 2007
INVENTOR(S) : Sidney E. Clark et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Claims:

At Column 9, line 12, "liquidly" should be -- liquid --.

At Column 9, line 16, "liquidly" should be -- liquid --.

At Column 9, line 27, "has upper" should be -- has an upper --.

At Column 10, line 29, "drafts" should be -- draft --.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Richard M. LaBarge
MARSHALL, GERSTEIN & BORUN LLP
233 S. Wacker Drive, Suite 6300
Sears Tower
Chicago, Illinois 60606-6357

JUL 30 2007